# **Facility Facts & Figures**

The National Synchrotron Light Source (NSLS) is a national user research facility funded by the U.S. Department of Energy's Office of Basic Energy Science. The NSLS operates two electron storage rings: an x-ray ring (2.8 GeV, 280 mA) and a vacuum ultraviolet (VUV) ring (800 meV, 1.0 A), which provide intense light spanning the electromagnet spectrum from the infrared through x-rays. The properties of this light, and the specially designed experimental stations, called beamlines, allow scientists in many fields of research to perform experiments not otherwise possible at their own laboratories.

Over 2,200 scientists representing more than 350 institutions, more than 50 of them corporations, come to Brookhaven National Laboratory annually to conduct research at the NSLS. The facility operates seven days a week, 24 hours a day throughout the year, except during periods of maintenance and studies.

As a national user facility, the NSLS does not charge for its beamtime, providing that the research results are published in the open literature. Proprietary research is conducted on a full cost recovery basis.

There are two ways to obtain beamtime at the NSLS: either as a General User or as a member of a Participating Research Team (PRT). General Users are independent investigators interested in using the NSLS for their research. Access is gained through a peer-reviewed proposal system. All operational beamlines at the NSLS reserve at least 25% of their available beamtime for General Users. PRTs are groups of researchers with related interests from one or more institutions. Membership in a PRT is open to all members of the scientific community who can contribute significantly to the program of the PRT, (i.e., funding, contribution of equipment, scientific program, design and engineering, operations manpower, etc).

The NSLS currently has 54 x-ray and 16 VUV-IR operational beamlines for performing a wide range of experiments. The following pages list the operational beamlines at the NSLS and their unique characteristics.

## BEAMLINE GUIDE

| TECHNIQUE | E DESCRIPTION  | TECHNIQUE    | DESCRIPTION   | Тесницои | DESCRIPTION  |
|-----------|--|--------------|---|----------|--|
| ARPE      | UV PHOTOELECTRON SPECTROSCOPY, ANGLE-RESOLVED          |              | S<br>LEAR EDGE X-RAY ABSORPTION<br>PECTROSCOPY              | XAFS     | X-RAY ABSORPTION SPECTROS-<br>COPY, FINE STRUCTURE           |
| DAFS      | X-ray diffraction anomalous fine structure             | SAXS<br>S    | MALL ANGLE X-RAY SCATTERING                                 | XANE     | S<br>X-ray absorption spectros-<br>copy, near edge structure |
| DEI       | DIFFRACTION-ENHANCED IMAGING                           | U            | IV PHOTOELECTRON SPECTROSCOPY,<br>PIN- AND ANGLE-RESOLVED   | XAS      | X-ray absorption<br>spectroscopy                             |
| EXAF      | X-RAY ABSORPTION SPECTROSCOPY, EXTENDED FINE STRUCTURE | M            | CANNING TRANSMISSION X-RAY<br>ICROSCOPY                     | XPS      | X-ray photoelectron<br>spectroscopy                          |
| IRMS      | Infrared microspectroscopy                             | UPS<br>UV-CD | IV PHOTOELECTRON SPECTROSCOPY                               | XRD      | X-ray diffraction  |
| MAD       | Multi-Wavelength anomolous dispersion                  | WAXD         | Utraviolet circular dichroism  Vide-angle x-ray diffraction | XSW      | X-ray standing waves   |
| MCD       | Magnetic circular dichroism                            | WAXS         | Vide-angle x-ray scattering                                 |          |  |

### 6-4 **NSLS ACTIVITY REPORT**

| BEAMLIN | IE SOURCE           | TYPE OF RESEARCH  | ENERGY RANGE  | ORGANIZATION   |
|---------|---------------------|---|---------------|--|
| U1A     | Bend                | XAS<br>XAFS<br>NEXAFS<br>XANES  | 270-900 eV    | ExxonMobil Research and Engineering Co.  |
| U2A     | Bend                | IRMS<br>High pressure research<br>IR spectroscopy                                   | 30-8000 cm-1  | Carnegie Institution of Washington   |
| U2B     | Bend                | IRMS<br>IR spectroscopy   | 50-4000 cm-1  | Albert Einstein College of Medicine  |
| U3C     | Bend                | XPS   | 50-1000 eV    | Bechtel Nevada<br>Lawrence Livermore National Laboratory<br>Los Alamos National Laboratory<br>Sandia National Laboratory                                   |
| U4A     | Bend                | UPS   | 10-250 eV     | Army Research Laboratory Boston University BNL-NSLS North Carolina State University Rutgers University University of North Carolina                        |
| U4B     | Bend                | X-ray scattering, resonant<br>MCD<br>UPS<br>X-ray fluorescence spectroscopy<br>XPS  | 20-1200 eV    | BNL-NSLS<br>Montana State University   |
| U4IR    | Bend                | IRMS  | 50-700 cm-1   | BNL-Chemistry BNL-NSLS   |
| U5UA    | Insertion<br>Device | Magnetospectroscopy<br>UPS<br>ARPES<br>SPARPES                                      | 15-150 eV     | BNL-NSLS   |
| U7A     | Bend                | NEXAFS<br>XANES<br>XPS  | 180-1200 eV   | BNL-Chemistry BNL-Physics Dow Chemical Company National Institute of Standards & Technology Rutgers University Texas A&M University University of Michigan |
| U9B     | Bend                | UV-CD<br>UV fluorescence spectroscopy   | 0.8 - 8.0 eV  | BNL-Biology<br>BNL-NSLS  |
| U10A    | Bend                | IR spectroscopy   | 30-20000 cm-1 | BNL-NSLS<br>BNL-Physics  |
| U10B    | Bend                | IRMS<br>IR spectroscopy   | 500-4000 cm-1 | BNL-NSLS   |
| U11     | Bend                | UV photoabsorption spectroscopy<br>UPS<br>UV photoionization spectroscopy           | 3-30 eV       | BNL-Biology<br>BNL-NSLS  |
| U12A    | Bend                | XAS<br>XPS  | 100-800 eV    | BNL-NSLS<br>Oak Ridge National Laboratory  |
| U12IR   | Bend                | IR spectroscopy<br>THz / millimeter wave spectroscopy<br>Time-resolved spectroscopy | 6-600 cm-1    | BNL-NSLS<br>Stony Brook University<br>University of Florida  |
| U13UB   | Insertion<br>Device | UPS<br>ARPES  | 3-30 eV       | Boston University<br>BNL-NSLS<br>BNL-Physics   |

| BEAMLINE | SOURCE              | TYPE OF RESEARCH  | ENERGY RANGE | ORGANIZATION   |
|----------|---------------------|---|--------------|--|
| X1A1     | Insertion<br>Device | STXM  | .2550 keV    | BNL-Environmental Science BNL-NSLS ExxonMobil Research and Engineering Co. SUNY @ Plattsburgh Stony Brook University University of Texas @ Houston   |
| X1A2     | Insertion<br>Device | STXM  | .25-1 keV    | Stony Brook University   |
| X1B      | Insertion<br>Device | X-ray scattering, coherent<br>XAS<br>X-ray fluorescence spectroscopy<br>XPS | .2-1.6 keV   | Boston University<br>BNL-NSLS<br>University of Groningen   |
| X2B      | Bend                | X-ray microtomography   | 8-35 keV     | ExxonMobil Research and Engineering Co.  |
| X3B1     | Bend                | XRD, powder   | 6-30 keV     | Stony Brook University   |
| X4A      | Bend                | MAD<br>Macromolecular crystallography                                       | 3.5-20 keV   | Albert Einstein College of Medicine City University of New York (CUNY) Columbia University Cornell University Mount Sinai School of Medicine New York Structural Biology Center New York University SUNY @ Buffalo Sloan-Kettering Institute for Cancer Research Wadsworth Center                        |
| X4C      | Bend                | MAD<br>Macromolecular crystallography                                       | 7-20 keV     | Albert Einstein College of Medicine City University of New York (CUNY) Columbia University Cornell University Mount Sinai School of Medicine New York Structural Biology Center New York University Rockefeller University SUNY @ Buffalo Sloan-Kettering Institute for Cancer Research Wadsworth Center |
| X5A      | Bend                | Laser backscattering  | 150-420 MeV  | BNL-Physics Forschungszentrum Juelich (KFA) James Madison University Norfolk State University Ohio University University of Paris University of Rome II University of South Carolina University of Virginia Virginia Polytechnic Institute and State University  |
| X6A      | Bend                | MAD<br>Macromolecular crystallography                                       | 6.0-23 keV   | BNL-NSLS<br>National Institutes of Health  |
| X6B      | Bend                | MAD<br>Macromolecular crystallography                                       | 7-19 keV     | BNL-NSLS   |
| х7А      | Bend                | XRD, powder   | 5-45 keV     | BNL-Physics ChevronTexaco Energy Research and Technology Co. Ohio State University Stony Brook University University of Birmingham University of California @ Santa Barbara University of Pennsylvania   |
| Х7В      | Bend                | XRD, single crystal<br>XRD, time resolved<br>WAXD<br>WAXS                   | 5-21 keV     | BNL-Chemistry  |

### 6-6 **NSLS ACTIVITY REPORT**

| BEAMLINE | SOURCE              | TYPE OF RESEARCH   | ENERGY RANGE | ORGANIZATION  |
|----------|---------------------|--|--------------|---|
| X8A      | Bend                | Metrology  | 1.0-5.9 keV  | Bechtel Nevada<br>Lawrence Livermore National Laboratory<br>Los Alamos National Laboratory<br>Sandia National Laboratory  |
| X8C      | Bend                | MAD<br>Macromolecular crystallography  | 5-19 keV     | Biogen Incorporated<br>BNL-Biology<br>Hoffmann-La Roche<br>National Research Council of Canada  |
| X9A      | Bend                | MAD<br>Macromolecular crystallography  | 5-15 keV     | Albert Einstein College of Medicine<br>Rockefeller University<br>Sloan-Kettering Institute for Cancer Research  |
| Х9В      | Bend                | XAS<br>EXAFS<br>XAFS<br>NEXAFS<br>XANES  | 5-15 keV     | Albert Einstein College of Medicine   |
| X10A     | Bend                | XRD, powder XRD, time resolved WAXD X-ray reflectivity SAXS WAXS                               | 6-15.2 keV   | ExxonMobil Research and Engineering Co.   |
| X10B     | Bend                | XRD, powder<br>XRD, surface<br>WAXD<br>X-ray reflectivity<br>X-ray scattering, surface<br>WAXS | 14 keV       | ExxonMobil Research and Engineering Co.   |
| X10C     | Bend                | XAS<br>EXAFS<br>XAFS<br>NEXAFS<br>XANES  | 4-24 keV     | ExxonMobil Research and Engineering Co.   |
| X11A     | Bend                | DAFS XAS EXAFS XAFS NEXAFS XANES   | 4.5-35 keV   | BNL-Environmental Science Canadian Light Source Hunter College Naval Research Laboratory (NRL) Naval Surface Warfare Center New Jersey Institute of Technology North Carolina State University Northeastern University Paul Scherrer Institute U.S. Environmental Protection Agency Virginia Union University                           |
| X11B     | Bend                | DAFS XAS EXAFS XAFS NEXAFS XANES   | 5.0-23 keV   | BNL-Environmental Science Canadian Light Source Hunter College Naval Research Laboratory (NRL) Naval Surface Warfare Center New Jersey Institute of Technology North Carolina State University Northeastern University Paul Scherrer Institute U.S. Environmental Protection Agency University of Connecticut Virginia Union University |
| X12B     | Bend                | MAD<br>Macromolecular crystallography  | 5-20 keV     | BNL-Biology   |
| X12C     | Bend                | MAD<br>Macromolecular crystallography  | 5.5-20.0 keV | BNL-Biology   |
| X13A     | Insertion<br>Device | X-ray scattering, resonant<br>MCD<br>Magnetospectroscopy                                       | .2-1.8 keV   | BNL-NSLS  |

| BEAMLINE | SOURCE              | TYPE OF RESEARCH  | ENERGY RANGE                | ORGANIZATION  |
|----------|---------------------|---|-----------------------------|---|
| X13B     | Insertion<br>Device | Microdiffraction Imaging  | 4-16 KeV                    | BNL-NSLS  |
| X14A     | Bend                | MAD<br>XRD, powder<br>XRD, single crystal<br>XRD, time resolved<br>WAXD<br>X-ray reflectivity       | 5-26 keV                    | Oak Ridge National Laboratory<br>Tennessee Technological University<br>University of Tennessee  |
| X15A     | Bend                | XSW<br>DEI  | 3-25keV XSW<br>10-60keV DEI | Argonne National Laboratory BNL-NSLS Canadian Light Source Illinois Institute of Technology North Carolina State University Northwestern University University of North Carolina University of Saskatchewan |
| X15B     | Bend                | XAS<br>EXAFS<br>XAFS<br>NEXAFS<br>XANES   | 0.8-15 keV                  | BNL-Environmental Sceinces<br>Lucent Technologies, Inc.<br>Stony Brook University<br>Temple University<br>University of Texas @ Austin  |
| X16C     | Bend                | XRD, powder<br>XAS<br>XAFS  | 4.5-25 keV                  | BNL-NSLS<br>Yeshiva University  |
| X17B1    | Insertion<br>Device | XRD, powder   | White Beam<br>55-80 keV     | BNL-Medical<br>BNL-NSLS   |
| X17B2    | Insertion<br>Device | XRD, powder   | White Beam<br>55-80 keV     | Stony Brook University  |
| X17B3    | Insertion<br>Device | XRD, powder<br>XRD, single crystal<br>High pressure research  | 5-80 keV                    | BNL-NSLS<br>Carnegie Institution of Washington  |
| X17C     | Insertion<br>Device | XRD, powder<br>XRD, single crystal<br>High pressure research  | 5-80 keV                    | Carnegie Institution of Washington<br>Lawrence Livermore National Laboratory<br>Naval Research Laboratory (NRL)<br>University of Chicago  |
| X18A     | Bend                | XRD, powder XRD, single crystal XRD, surface WAXD X-ray reflectivity X-ray scattering, surface WAXS | 4-19 keV                    | BNL-Department of Materials Sciences BNL-NSLS General Electric Indiana University @ Indianapolis Pennsylvania State University Purdue University University of Maryland University of Missouri @ Columbia   |
| X18B     | Bend                | XAS EXAFS XAFS NEXAFS XANES   | 5.7-40 keV                  | BNL-Chemistry BNL-NSLS General Electric Natural Resources Canada North Carolina State University Rutgers University UOP University of Kentucky  |
| X19A     | Bend                | XAS<br>EXAFS<br>XAFS<br>NEXAFS<br>XANES   | 2.1-17 keV                  | BNL-NSLS BNL-Chemistry Department General Electric Natural Resources Canada North Carolina State University Rutgers University UOP University of Kentucky   |

### 6-8 **NSLS ACTIVITY REPORT**

| BEAMLINE SOURCE TYPE OF RESEARCH ENERGY RANGE ORGANIZATION  X19C Bend XRD, surface 6-17 keV Army Research Labora Carnegie Mellon Unive Dartmouth College Varay reflectivity Dartmouth College X-ray scattering, liquid Johns Hopkins Univers X-ray scattering, surface Kansas State University National Aeronautics a Stony Brook University |   |
|--|---|
| X-ray topography X-ray reflectivity X-ray scattering, liquid X-ray scattering, surface   |   |
| University of Chicago<br>University of Illinois @<br>University of Wisconsin   | ty<br>and Space Admin. (NASA)<br>y<br>O Chicago |
| X20A Bend XRD, single crystal 4.5-13 keV IBM Research Division XRD, surface Microdiffraction Imaging X-ray reflectivity X-ray scattering, surface  | 1   |
| X20B Bend XRD, single crystal 17.4 keV IBM Research Division XRD, surface X-ray reflectivity X-ray scattering, surface   |   |
| X20C Bend XRD, single crystal 4-11 keV IBM Research Division XRD, surface XRD, time resolved X-ray reflectivity X-ray scattering, surface  | ı   |
| X21 Insertion XRD, single crystal 5-15 keV BNL-NSLS  Device X-ray scattering, magnetic X-ray scattering, resonant SAXS   |   |
| X22A Bend XRD, single crystal 10 keV, 32 keV BNL-Environmental Sc XRD, surface BNL-Physics Rutgers University V-ray reflectivity X-ray scattering, surface WAXS  |   |
| X22B Bend XRD, surface 6.5-10 keV BNL-Physics X-ray scattering, liquid Harvard University X-ray scattering, surface Rutgers University   |   |
| X22C Bend XRD, single crystal 3-12 keV BNL-Physics XRD, surface Rutgers University X-ray reflectivity University of Maryland X-ray scattering, magnetic X-ray scattering, surface  | 1   |
| X23A2 Bend XRD, powder 4.7-30 keV National Institute of St<br>DAFS<br>XAS<br>EXAFS<br>XAFS<br>NEXAFS<br>XANES  | itandards & Technology                          |

| BEAMLINE | SOURCE              | TYPE OF RESEARCH   | ENERGY RANGE | ORGANIZATION  |
|----------|---------------------|--|--------------|---|
| X23B     | Bend                | XRD, powder<br>XAS<br>EXAFS<br>XAFS<br>NEXAFS<br>XANES           | 3-10.5 keV   | BNL-Environmental Science Canadian Light Source Hunter College Naval Research Laboratory (NRL) Naval Surface Warfare Center New Jersey Institute of Technology North Carolina State University Northeastern University Paul Scherrer Institute U.S. Environmental Protection Agency Virginia Union University |
| X24A     | Bend                | XSW Auger spectroscopy EXAFS X-ray fluorescence spectroscopy XPS | 1.8-5 keV    | National Institute of Standards & Technology  |
| X24C     | Bend                | UV photoabsorption spectroscopy XAS                              | .006-1.8 keV | Naval Research Laboratory (NRL)   |
| X25      | Insertion<br>Device | MAD<br>Macromolecular crystallography                            | 3-28 keV     | BNL-Biology<br>BNL-NSLS   |
| X26A     | Bend                | Microdiffraction Imaging<br>X-ray microprobe                     | 3-30 keV     | BNL-Environmental Science<br>University of Chicago<br>University of Georgia   |
| X26C     | Bend                | MAD<br>Macromolecular crystallography                            | 5-20 keV     | BNL-Biology<br>Cold Spring Harbor Laboratory<br>Stony Brook University  |
| X27C     | Bend                | XRD, time resolved<br>WAXD<br>SAXS<br>WAXS                       | 9 keV        | Basell USA, Inc. ( formerly Montell) National Institute of Standards & Technology National Institutes of Health Naval Surface Warfare Center New Jersey Institute of Technology Stony Brook University U.S. Air Force   |
| X28C     | Bend                | X-ray footprinting   | White Beam   | Albert Einstein College of Medicine   |
| X29A     | Insertion<br>Device | MAD<br>Macromolecular crystallography                            | 6-15 keV     | Albert Einstein College of Medicine<br>BNL-Biology  |
|          |                     |  |              |   |